UNIFIED COMMUNICATIONS

INFORMATION



Wireless presentation solution

The WP-MEET03M enables effortless wireless presentations and collaboration. With plug-and-play USB-C connectivity, users can instantly share content in 4K without installing drivers or relying on complex networks. Built-in audio, support for popular conferencing platforms, and compatibility with large format displays, interactive displays and projectors make it the ideal solution for modern meeting rooms.



Plug in. Press. Present.

Share content instantly, plug in and press to present.



Present. Annotate. Collaborate.

Enhance collaboration with annotation capabilities and direct presentation control from the display.



Wireless Conferencing Made Simple

Use a compatible camera for professional hybrid meetings with Teams, Zoom, and other conferencing platforms. The system supports 4K content sharing while enabling full conferencing functionality.

SPECIFICATION

01 SPEAKER

Impedance	4Ω
Maximum sound pressure level	85dB SPL @1m @3W
Signal to noise ratio	80dB
Frequency range	100Hz ~ 20kHz

02 CAMERA STREAMING

Camera streaming max resolution	1920 x 1080 @30fps
Video format supported	H.264

03 SCREENCAST

Wireless casting	yes
Max screen output resolution	3840 x 2160 @30fps
Transmission distance	8m
Native resolution	4k UHD

04 AUDIO

Sampling rate	48kHz
Duplex (full duplex)	yes
Voice pickup angle	360°
Adaptive echo canceller	yes
Noise reduction	yes
Automatic gain control	yes
Speakers	1 x 3W

05 CONNECTIVITY

USB	Connect via USB to a compatible camera
USB-A	5V 1A max

06 MICROPHONE

Number of microphone arrays	x8
Voice pickup range	4m (radius)

Sensitivity	-94dB SPL 1KHz 371dB FSdBV
Frequency range	20Hz ~ 8kHz
Signal to noise ratio	94dB SPL 1KHz 65dB

07 CONNECTIVITY & BUTTON OPERATIONS

Video Output Resolution	Wireless Casting: 3840×2160 @30FPS, Camera Streaming: 1920×1080 @30FPS
Reach	Screen Castig: 8m, Camera Streaming: 5m
OS Compatibility	MacOS 10.8 and later
USB Type C	x1

08 SUSTAINABILITY

Regulations	RoHS support, ErP, WEEE, REACH

09 DIMENSIONS / WEIGHT

Speakerphone dimensions W x H x D	180 x 81 x 32mm
Speakerphone weight	0.385kg
Receiver dimensions W x H x D	102 x 45 x 20mm
Receiver weight	0.070kg
Box dimensions W x H x D	228.4 x 124 x 97.5mm
EAN code	4948570033485

GALLERY











All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects. **© IIYAMA CORPORATION. ALL RIGHTS RESERVED**