VIEWBOARD

# ViewBoard IFP7532-2


## Key **Features**

- All-in-one myViewBoard™ suite with Whiteboard, Display, and Manager
- Pen-on-paper writing experience with Ultra Fine Touch Technology
- Front-facing dual speakers to deliver attention-grabbing sound
- Webcam bracket easily attached with camera for better engagement
- Quad Core CPU with upgraded storage powered by Android 9.0 OS




## Product **Description**

The ViewBoard® 32-2 series is an advanced model that provides a comprehensive solution for schools and teachers looking to deliver more interactive and engaging lessons. Clearer colours, more vibrant contrast, and less glare are achieved thanks to 4K UHD display's bonding technology. With 20-point touchscreen interface, users collaborate naturally either with a finger or one of the ViewBoard styluses. The display integrates Ultra Fine Touch Technology which brings a paper-like writing experience with instant response and high accuracy. The dual-tip pen support allows you to simultaneously write or draw with two different colours. Seamless software integration is assured by the built-in access to the myViewBoard suite that brings together all the hardware. With upgraded RAM and storage, ViewBoard 32-2 Series offers instant connectivity and effortless usability for classroom engagement.




1. Smart Port USB™ X 2
2. Camera
8. Audio Out
9. VESA® Wall Mount800 x 400mm

3. LAN
4. RS232
5. HDMI X 2
6. USB 2.0
7. Touch
10. VGA
11. Audio In
12. Wi-fi Module Slot

**Visit Us** www.viewsonic.com

## DISPLAY

| | |
|---|---|
| Panel Size: | 75" |
| Panel Type: | TFT LCD Module with DLED Backlight |
| Display Area (mm): | 1650.24mm(H) x 928.26mm(V) (74.6” diagonal) |
| Aspect Ratio: | 16:9 |
| Resolution: | UHD 3840x2160(Pixels) |
| Colours: | 1.07B colours (8bit+FRC) |
| Brightness: | 400 nits (typ.) |
| Contrast Ratio: | 4000:1 |
| Response Time: | 8.5ms |
| Viewing Angles: | H=178, V=178typ. |
| Backlight Life: | 50,000 Hours (Min) |
| Surface Treatment: | Hardness: 9H Anti-glare coating |
| Orientation: | Landscape |

## PLATFORM

| | |
|---|---|
| Processor: | ARM quad-core Cortex-A55 |
| RAM: | 4GB DDR4 |
| Storage: | 32 GB |

## TOUCH

| | |
|---|---|
| Type/ Tech: | Ultra Fine Touch Technology |
| Touch Point: | 20 points touch, 2 points writing |

## INPUT

| | |
|---|---|
| HDMI: | HDMI 2.0 x2 (3840x2160 @60Hz) |
| RGB / VGA: | x1 |
| Audio: | x1 |
| RS232: | x1 |
| OPS: | x1 (Optional Intel Standard OPS) |
| WiFi: | x1 |

## OUTPUT

| | |
|---|---|
| Audio: | x1 |

## LAN

| | |
|---|---|
| RJ45: | x1 |

## USB

| | |
|---|---|
| Type A: | USB2.0 Front x2; Side x2 |
| Type B: | x1 for HDMI/VGA touch |

## SPEAKERS

12W x 2

## TOP CAMERA PLATE

Yes

## EMBEDDED OS

Android 9

## BUNDLE SOFTWARE

| | |
|---|---|
| Basic Annotation Software: | myViewBoard Whiteboard |
| Pro Annotation Software: | myViewBoard Whiteboard for Windows (Embedded in optional Windows Slot-in PC) |
| Wireless Presentation: | myViewBoard Display & ViewBoard Cast |

## SPECIAL FEATURES

| | |
|---|---|
| All-in-one USB port: | (combine slot-in PC/Android/HDMI USB port) Front “SmartPort™ USB” to all channels. |
| Simple LAN sharing between IFP and slot-in device: | 10/100M for Android & Slot-in PC |
| Light Sensor: | Yes |

## POWER

| | |
|---|---|
| Voltage: | 162V-264V +/- 10% |
| Consumption: | On:238W(typ.)<br>Off: ≤ 0.5W |

## ERGONOMICS

| | |
|---|---|
| Wall Mount (VESA® ): | 800x400 |

## OPERATING CONDITIONS

| | |
|---|---|
| Temperature (° C): | 0°C to 40°C |
| Humidity: | 10% ~ 90% RH non-condensing |

## DIMENSIONS (W X H X D)

| | |
|---|---|
| Physical (inch / mm): | 1710×1020×87 mm / 67.3x40.2x3.4 in |
| Packaging (inch / mm): | 1860×280×1140 mm / 73x11x44.9 in |

## WEIGHT

| | |
|---|---|
| Net (lb / kg): | 51.8kg/114.2lb |
| Gross (lb / kg): | 65.7kg/144.8lb |

## REGULATIONS

EMC/CE , CB/LVD, GOST-R / EAC, FAC, RCM, BIS, ECAS, LBL (Low Blue Light Certification), RoHS, REACH, SCIP, WEEE, TPCH, Packing waste, CA65, Green BOM, ErP-Eco

## PACKAGE CONTENTS

1. Power cord / 2.Remote control with AAA battery / 3.USB touch cable / 4. Touch pen x 2 / 5. Quick Start Guide + Compliance statement / 6. RS232 adaptor / 7. Screw x 4 ( wall mount 4) / 8. HDMI cable / 9. Clamp x5 / 10. Camera plate x1

## COMPATIBLE SLOT-IN PC

VPC12-WPO/VPC25/VPC27 series

Copyright © ViewSonic Corporation 2000-2023. All rights reserved.